

Pruduct Model: KLS6-3526

#### **■ FEATURE:**

- · Epoxy encapsulated
- · Quick Response
- · Small Size
- · High Sensitivity
- · Reliable Performance
- · Good Characteristic of Spectrum



# VI

#### **■ TYPICAL APPLICATIONS:**

- Auto Flash For Cameras
- photoelectric Control
- Optical Control Lamp
- · Room Light Control

- Photomusical I.C.
- · Industrial control
- · Photoswitch
- Electronic Toys

## **■ DESCRIPTION:**

CdS Photoconductive Cells is a resistor which made of semi-conductor material, and the conductance change with luminance variation. The CdS Photoconductive cells can be manufactured with different figures and illuminated area based on this characteristic.CdS Photoconductive cells is widely used in many industries, such as toys, lamps, camera, etc.

### **■ ELECTRO-OPTICAL CHARACTERICTICS:**

Parameter		Characterictics	Unit
Light Resistance(at 10lux)		8-20	ΚΩ
Dark Resistance(at 0 lux/Min)		0.5	ΜΩ
Gamma Value( at 100-10lux)		0.6	$\gamma_{10}^{100}$
Power Dissipation(at 25℃)		50	MW
Max Voltage(at 25℃)		100	VDC
Spectral Response peak(at 25℃)		540	nm
Ambient Temperature Range		<b>-</b> 30∼ <b>+</b> 70	$^{\circ}$
Response time	Increase	30	ms
	Decrease	30	ms


- \*\* Light resistance: Measured at 10lux(standard Light source)at a color temperature of 2856K. color temperature ) and 2h pre-illumination at 400-600 lux prior to testing.
- Mark resistance: measured 10 senconds after pulsed 10 lux.
- % Gamma Characteristic: between 10lux and 100lux and given by T =  $\frac{\text{Lon}(R10/R100)}{\text{Loo}(100/10)} = \text{Log}(R10/R100)$
- Max. Max.power dissipation at ambient temperature of 25°C.
- Wmax:Max.voltage in darkness that may be applied to the cell continuously.

Pruduct Model: KLS6-3526


## ■ Component Information :

Component Name	ROSH	Notice
Resin Coating	YES	
CdS	NO	Composition than 100 PPM
Electrode	YES	
Ceramic Substrate	YES	
Lead Terminal	YES	

## ■ SCHEMATIC DRAWING:



## ■ OUTLINE:(Unit: mm)









Pruduct Model: KLS6-3526

## ■ SPECTRAL RESPONSE :



## **■ ILLUNINANCE Vs. PHOTO RESISTANCE**









Pruduct Model: KLS6-3526

#### **■ TEST CONDITIONS**

Light Resistance Dark Resistance	Light resistance:A light source(2856k) At 10Lux Dark resistance:data@10sec,after cutting off 10Lux light r=Lg(R10/R100)	Workable
Tompture Change	Hight tempture:: 70℃±5℃  Time:30M  Incideng light:dark placing	
Tempture Change Testing	Testing time:24hr  Low tempture::-30℃±5℃  Time:30min	Workable
Constant Tempture Testing	Incident light:above dark placing as a recycle,testing time:24hr  Tempture:40±5°C  Moisture:90-95%  Incident light:dark placing  Testing time:48hr	Workable
At the root of lead 90 degree curving,5mm above the root,loading  Lead High Tempture  Testing  At the root of lead 90 degree curving,5mm above the root,loading  100g charge  Welding tempture: 260℃  Heating time:Max.35,distance between welding and base:5mm		Workable

## **■ PACKING AND PRECAUTION:**







Pruduct Model: KLS6-3526




IMAGE NO.	NAME	QUANTITY
Image-01	Bag	200Pcs /bag
Image-02	Вох	10Bag/Box = 2000Pcs
Image-03	Carton	20000PCS = 10 Box = 100 Bag = 1 Carton

- This product is packed with the environmental protection material,200pcs per small package,2000pcs per big package.
- Avoid high temperature and humidity fot storing.
- Soldering should be completed in the shortest possible time.
- It is recommended that the soldering should keep 4mm away from ceramic substrate.